

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/260834301>

A Database of Full Body Virtual Interactions Annotated with Expressivity Scores

Conference Paper · January 2014

READS

78

9 authors, including:



[Virginie Demulier](#)

French National Centre for Scientific Resea...

16 PUBLICATIONS 24 CITATIONS

[SEE PROFILE](#)



[Pamela Carreno](#)

Université de Bretagne Sud

7 PUBLICATIONS 7 CITATIONS

[SEE PROFILE](#)



[Pierre De Loor](#)

Laboratory of Science and Technology of In...

87 PUBLICATIONS 227 CITATIONS

[SEE PROFILE](#)



[Jean-Claude Martin](#)

Computer Sciences Laboratory for Mechani...

202 PUBLICATIONS 1,781 CITATIONS

[SEE PROFILE](#)

A Database of Full Body Virtual Interactions Annotated with Expressivity Scores

V. Demulier¹, E. Bevacqua², F. Focone¹, T. Giraud¹, P. Carreno³, B. Isableu⁴, S. Gibet³, P. De Loor²
and J-C. Martin¹

¹LIMSI-CNRS, Campus Université Paris Sud, Bât. 508, 91403 Orsay Cedex, France

²UEB, Lab-STICC, ENIB, 25 rue C. Chappe, 29280 Plouzané, France

³IRISA, Université de Bretagne Sud, rue Yves Mainguy, BP 573, 56017 Vannes, France

⁴CIAMS, Campus Université Paris Sud, Bât. 335, 91405 Orsay Cedex, France

E-mail: virginie.demulier@limsi.fr ; bevacqua@enib.fr ; focone@limsi.fr ; giraud@limsi.fr ; pamela.carreno-medrano@univ-ubs.fr ; brice.isableu@u-psud.fr ; sylvie.gibet@univ-ubs.fr ; deloor@enib.fr ; martin@enib.fr

Abstract

Recent technologies enable the exploitation of full body expressions in applications such as interactive arts but are still limited in terms of dyadic subtle interaction patterns. Our project aims at full body expressive interactions between a user and an autonomous virtual agent. The currently available databases do not contain full body expressivity and interaction patterns via avatars. In this paper, we describe a protocol defined to collect a database to study expressive full-body dyadic interactions. We detail the coding scheme for manually annotating the collected videos. Reliability measures for global annotations of expressivity and interaction are also provided.

Keywords: bodily interaction, gesture, database, expressivity, experimental protocol, coding scheme

1. Introduction

Research in nonverbal communication highlights the major role played by interactive patterns and expressivity in bodily interactions (Kendon, 2004; Knapp & Hall, 2006; Recanati, 1993). Recent technologies enable to exploit full body interaction in games, education, and interactive arts [4, 5]. There is thus an increasing need to better understand the mechanisms underlying expressive full-body dyadic interactions and to answer research questions such as: What is the impact of dyadic interaction on the expressive features of bodily expressions of two interacting partners? How are these features shared during interactions between two partners when each partner interacts with the avatar of the other partner? How do dyadic partners synchronize themselves during interactions?

The long-term goal of our project is to develop a virtual character that is capable of maintaining a full body expressive gestural coupling with a human user. As a first step, we need to collect whole body expressions data in interaction sessions including expressivity variations and expressions of emotions.

In this paper, we describe a protocol including motion capture and video defined to collect a database to study expressive full-body dyadic interactions. We detail our coding scheme for manually annotating collected videos. Reliability measures for global annotations are also provided. We draw conclusions about the usefulness of such a database.

2. Related work

A *gesture* can be defined as a body movement carrying some meaning or intention, with a semantic content (Recanati, 1993). Such information can be, for example, an action or a behavior that should be imitated by the interlocutor or an affective state that should be expressed (Argyle, 1988; Buck,

1984; Mehrabian & Friar, 1969). In our work, we consider a gesture as a movement involving the whole body.

Expressivity characterizes modulations of the movement. Expressivity of the full body is described in details in art studies (Neff, 2012) and may be defined by a set of nuances that modulate actions. Expressive parameters such as fluidity, contraction, directness, amplitude, or velocity are considered for automatic recognition (Castellano et al., 2007) and synthesis (Héloir et al., 2006; Recanati, 1993). Expressivity may convey several communicative functions. For example, several studies aim at identifying discriminative features of emotions in static postures or in movements (Wallbott, 1998).

Gesture studies about dyadic interactions revealed several *interactive patterns* such as mimicry and the chameleon effect (Chartrand & Bargh, 1999), joint actions (Buck, 1984; Sebanz et al., 2006), synchrony (Argyle, 1988; Behrends et al., 2012) and coupling (Haken et al., 1985; Recanati, 1993; Warren, 2006). These interactive patterns are expected to support smooth interactions during interactions between humans, but also between a human and a virtual character (Forgas, 2001; Heeter, 2003).

None of the existing databases contain at the same time variations of expressivity, full body standing expressions, and displays of emotions during an interaction via avatar (Table 1).

This overview of existing databases notes the need to create a new database that combines data 1) from dyadic partners interacting via avatars, 2) from the full body, 3) with expressivity variations to highlight the dynamic process of interaction, 4) including mocap data, 5) and including bodily expressions of emotions.

Database		Content of the database				
		Expressivity variations of the same gesture	Full body	Recordings of dyadic Interaction	Expressions of emotions	Mocap (M) Video (V) Sound (S)
CMU	No	Yes	Yes (recordings of 4 dyads)	No	No	M
HID	Annotated	No (upper body)	No	No	No	M (Head, Hands), V
GEMEP (Bänziger et al., 2012)	No	No (upper body)	No	Instructed + annotated	Instructed + annotated	V
IEMOCAP (Busso et al., 2008)	No	No (head, hand)	Yes (human – human)	Instructed + spontaneous, annotated	Instructed + spontaneous, annotated	M, V
SEMAINE (Keown et al., 2012)	No	No (head)	Yes (human – human, human - avatar)	Spontaneous + annotated	Spontaneous + annotated	V
PACO (Ma et al., 2006)	Instructed	Yes	No	Instructed	Instructed	M
FABO (Gunes & Piccardi, 2006)	No	No (upper body)	No	Instructed	Instructed	V
UCLIC	Video game corpus (Savva & Bianchi-Berthouze, 2006)	No	Yes	Yes (human – human via video game)	Spontaneous + annotated	M
	Acted corpus (Kleinsmith et al., 2006)	No	Yes	No	Instructed + annotated	M
Gesture and intonation (Loehr, 2004)	No	Yes (seated participants)	Yes	Spontaneous + annotated	Spontaneous + annotated	V
CID (Ferré et al., 2007)	No	Yes (seated participants)	Yes	Spontaneous + annotated	Spontaneous + annotated	V
HDM05 (Müller et al., 2007)	No	Yes	Yes (part of data)	No	No	M, V
The human motion database (Guerra-Filho & Biswas, 2012)	No	Yes	Yes (150 actions)	No	No	M
3dlife dance dataset (Essid et al., 2013)	Instructed (different musical tempo)	Yes	No	No	No	M, V
BEAST (de Gelder & van der Stock, 2011)	No	Yes	No	Instructed + annotated	Instructed + annotated	V
Robea-HuGEx (Héloir et al., 2005)	Yes	Yes (including hand)	No	Instructed + annotated	Instructed + annotated	M, V
SignCom (Gibet et al., 2011)	Yes	Yes (including, hand and facial expression)	Yes	Instructed + linguistically annotated	Instructed + linguistically annotated	M, V
Bouénard 2011 (Bouénard et al., 2011)	Yes	Yes	No	Instructed	Instructed	M, V, S
Creative IT (Metallinou et al., 2011)	No	Yes	Yes	Spontaneous + annotated	Spontaneous + annotated	M, V

Table 1: Databases that include gestures

3. Method

3.1 Requirements and challenges

There are several challenges in the collection of databases of expressive full-body interactions.

First, it is important to define the nature of the *interactive scenarios*.

Collecting a database of expressive movements and expressions of emotions also raises issues about the *spontaneity* of the collected behaviors (Petta et al., 2011). Spontaneous gestures are expected to be more realistic and naturalistic but raise problems in terms of gesture segmentation and recognition, and controlled variations of expressivity (Kleinsmith et al., 2011).

To focus on bodily interaction, it is important that dyadic partners are prevented from any interaction through facial expressions that are a privileged channel to display expressive and fast reactions (Moody et al., 2007). Thus, a mediated interaction via an avatar of the distant interlocutor appears to be relevant to collect data that show how people communicate solely through bodily movements.

3.2 Protocol

3.2.1 Participants

Our goal is to design an interactive virtual agent that can be exploited in artistic settings. Two experienced actresses from a professional theatre company participated in this data collection. We decided to collect data only from two female actresses. Females are observed to have a greater capacity than males to understand others' thoughts and feelings (Klein & Hodges, 2001), to express higher levels of empathy than males (Masaskill et al., 2002; Schieman & Gundy, 2000), and are more often performing expressive gestures (Mayo et Henley, 1981; Hall, 1990).

3.2.2 Gestures

We collected body expressions on a continuum from acted expressions to more spontaneous expressions. To define the repertoire of gestures, we were inspired by Etienne Decroux's work. Thus, 18 movements grouped into three repertoires were defined. In a first step of investigation only one repertoire is presented: sea repertoire that consist of rowing, hoisting a sail, cleaning the deck, throwing a fishing net, bringing back a fishing net, winching, imitating a ferryman, and walking during a storm. These gestures feature different levels of complexity 1) very simple gestures composed of only a few actions and 2) more complex gestures that can be decomposed into multiple actions. The gestures involve several segments of the full body and are expected to allow some spontaneity in their realization. Expressivity and Interaction.

3.2.3 Expressivity and Interaction

We considered three expressivity parameters that been observed to be relevant for expressive gesture studies: amplitude, fluidity and velocity (Gibet et al., 2005). Gestures were to be performed by the actresses with three possible values for each of these parameters (i.e., low, normal, high).

The interaction situations that we defined are based on theatre exercises of expressive bodily movements avoiding contact between the parties. We also discarded the exercises in which facial and acoustic expressions were needed

Recordings were performed under two conditions. In the *non-interactive* condition, the actresses did not interact with each other, and no avatar was displayed in front of them. Instead, they were asked to perform one by one the gestures. Then, the participants were asked to repeat these gestures with some expressivity variations to create the gesture repertoire used later in the *interactive* condition.

In the *interactive* condition, the actresses interacted with each other through their human size avatars displayed on the screen in front of them. We defined two interactive situations: imitation, and bodily emotional interaction.

In the situation of *imitation*, one actress (the follower) had to imitate the movements performed by the other actress (the leader). In the situation of *bodily emotional interaction*, one actress expresses an emotional state through bodily movements. The other actress attempts to transmit another emotional state. The two parties create a dynamic emotional dialogue based only on full-body movements.

3.2.4 Video and Motion Capture

Video recordings provide information that is complementary to mocap data. Videos and manual annotations provide high-level information whereas low-level information are given by video, automatic image processing and 3D mocap (Kleinsmith et al., 2006). The full body was recorded using Sony HDR-CX550 cameras (50fps) in two rooms from a 45° angle because the three dimensions are of importance for capturing expressivity and emotions (Fig. 1).




Figure 1: Experiment set up: two actresses interact bodily with the avatar of the other actress.

Two motion capture systems were used: ART technology and Xsens MVN technology to compare how they fit for studies about movement expressivity and interaction.

3.2.5 Procedure

Recordings were conducted in two separate rooms. Each actress was asked to wear a motion capture suit. Their tracked movements were used to animate in real time the body of a simple avatar displayed on a screen, so that each actress could interact with the avatar that represented the other actress.

To study the transitions between different expressivities, we recorded the actresses performing several scripted sequences of movements. Each gesture was performed with a pre-defined expressivity. The gestures were selected in the repertoire described above. In the *imitation situation*, the actresses interact with each other. We imposed two constraints: (a) the gestures had to be selected from the same repertoire and (b) the actresses had to change roles at least twice during the whole interaction. No specific sequence of movements was imposed. Both the actresses were free to vary the expressivity of their movements.

In the situation of bodily *emotional interaction*, the actresses had to interact by playing scripted emotionally colored stories with positive or negative emotions. Each story was specified with the aim of fixing a sequence of emotional states, but no constraint was imposed on the movements to perform.

In both of the interacting conditions, we recorded also some free interactions.

3.3 Collected Data

The collected corpus includes 545 gestures performed either in a non-interactive condition or in an interactive condition (Table 2).

Conditions	Collected data	
	Number of gestures	Video duration
Non interactive condition	416	53'15
Interactive condition	129	26'35
Total	545	79'50
Free interaction (positive and negative emotions)		41'
Pre-scripted interaction ^a		30'
Total		71'

^a. Washerwoman, teacher/student, restaurant, chess game, conference.

Table 2: Collected data

3.4 Coding Scheme and Data Annotation

Our scheme enables the manual annotation of perceived synchrony, expressivity and gestural variations.

Videos were manually annotated in terms of gesture, expressivity, synchrony and role by two expert annotators. At first, the two videos of each dyad were annotated separately.

The gestures were segmented. Then, a label was selected to describe the perceived expressivity of the gesture (i.e., the amplitude, the fluidity, and the velocity).

The two videos of each dyadic interaction were then displayed side-by-side and annotated together in terms of *interaction*. The annotation was based on the perceived synchrony between the two participants. The annotators could choose one out of four options: 0 (absence of synchrony), 1 (slight synchrony), 2 (moderate synchrony), and 3 (almost perfect synchrony). Finally, the role (i.e., unknown, leader, and follower) in the dyad was annotated.

Inter-rater agreement measures were computed to assess the reliability of the annotations performing Cohen's Kappa (table 3) (Banerjee et al., 1999; Warrens, 2010).

A range of value between 0.41 and 0.6 is interpreted as a moderate agreement whereas a range value between 0.61 and 0.81 is interpreted as a substantial agreement (Banerjee et al., 1999).

	Fleiss Kappa Value
Amplitude	0.74
Fluidity	0.80
Velocity	0.41
Synchrony	0.61
Emotional valence	0.48
Role	0.78

Table 3: Fleiss Kappa values

Anova were performed to compare the expressivity style of each actress. The three expressivity parameters were entered as dependent variables, whereas actresses were entered as a fix factor. The analysis reveals no significant difference between the two actresses neither for the amplitude $F(1,21) = 0.057, p = 0.813$; nor the fluidity $F(1,21) = 0.241, p = 0.626$; nor the velocity of their gestures: $F(1,21) = 0.028, p = 0.867$. Thus, we did not observe any significant difference between the perceptions of the expressive styles of the two actresses when they interacted together.

4. Discussion and Conclusions

The purpose of the present experimental protocol is to collect data from dyadic full body nonverbal interactions mediated via avatars. A main contribution is the description of the collected database of virtual interactions with full body expressivity scores. Dyadic interaction information related to gesture, expressivity, and synchrony are collected via manual video annotation. Our first global measures suggest that our coding scheme is reliable.

Moreover, results concerning the expressivity styles revealed no significant difference between the actresses in terms of amplitude, fluidity, and velocity of their gestures. This suggests that the expressive styles of actresses are similar and might be used equivalently for the synthesis and recognition of gestures.

We intend to continue this work in several directions. In the current protocol, participants' bodily expressivity was not totally spontaneous.

Furthermore, the participants were two experienced actresses. The focus on women and the small number of participants prevent us from generalizing the present results. Moreover, differences in nonverbal expressivity have strong correlations with personality (Mayo & Henley, 1981) and we intend to assess participants' personalities.

This database will enable to explore research questions concerning, for example, the impact of dyadic interaction on the expressive features of bodily expressions, and dyadic coupling phenomena. This database and its annotations will be used within the INGREDIBLE project to develop an autonomous virtual character that is capable of maintaining a full body gestural coupling with a human user.

5. Acknowledgements

Part of the work described in this paper was funded by the Agence Nationale de la Recherche (ANR): project INGREDIBLE, by the French Image and Networks Cluster (<http://www.images-et-reseaux.com/en>), and by the Cap Digital Cluster (<http://www.capdigital.com/en/>)

6. References

- Argyle, M. (1988). Bodily Communication. Taylor & Francis.
- Banerjee, M., Capozzoli, M., McSweeney, L., Sinha, D. (1999). Beyond Kappa: A Review of Interrater Agreement Measures". *The Canadian Journal of Statistics*, 27 (1): 3–23.
- Bänziger,T., Mortillaro, M., & Scherer, K. R. (2012). Introducing the Geneva Multimodal Expression corpus for experimental research on emotion perception. *Emotion*, vol. 12, no. 5, pp. 1161-1179.
- Behrends, A., Müller,S., & Dziobek, I. (2012). Moving in and out of synchrony: A concept for a new intervention fostering empathy through interactional movement and dance. *The Arts in Psychotherapy*, vol. 39, no. 2, pp. 107–116.
- Billon, R., Nédélec,R., & Tisseau, J. (2008). Gesture recognition in flow based on PCA analysis using multiagent system. *Proceedings of the 2008 International Conference on Advances in Computer Entertainment Technology*, New York, NY, USA, pp. 139–146.
- Bouënard, A., Wanderley, M. M., Gibet, S., & Marandola, F. (2011). Virtual Gesture Control and Synthesis of Music Performances: Qualitative Evaluation of Synthesized Timpani Exercises. *Computer Music Journal*, vol. 35, no. 3, pp. 57–72.
- Buck, R. (1984). *The Communication of Emotion*. The Guilford Press.
- Busso, C., Bulut, M., Lee, C.-C., Kazemzadeh, A., Mower, E., Kim, S., Chang, J. N., Lee, S., & Narayanan, S. S. (2008). IEMOCAP: interactive emotional dyadic motion capture database. *Lang Resources & Evaluation*, vol. 42, no. 4, pp. 335–359,
- Castellano, G., Villalba,S. D., & Camurri, A. (2007). Recognising Human Emotions from Body Movement and Gesture Dynamics. *Proceedings of the 2nd international conference on Affective Computing and Intelligent Interaction*, Berlin, Heidelberg, pp. 71–82.
- Chartrand, T. L., & Bargh, J. A. (1999). The chameleon effect: the perception-behavior link and social interaction. *Journal of Personality and Social Psychology*, vol. 76, no. 6, pp. 893–910.
- Clay, A., Couture, N., Nigay, L., De La Rivière, J.-B., Martin, J.-C., Courgeon, M., Desainte-Catherine, M., Orvain, E., Girondel, V., Domenger, G. (2012). Interactions and systems for augmenting a live dance performance. *Proceedings of the 11th IEEE International Symposium on Mixes and Augmented Reality (ISMAR)*. Atlanta, GA.
- CMU Graphics Lab Motion Capture Database - Behavior Informatics project. [Online]. Available: <https://sites.google.com/site/behaviorinformaticsproject/databases/behavioral-databases/cmu-graphics-lab-motion-capture-database>. [Accessed: 23-Mar-2013].
- de Gelder, B. & Van den Stock, J. (2011). The Bodily Expressive Action Stimulus Test (BEAST). Construction and Validation of a Stimulus Basis for Measuring Perception of Whole Body Expression of Emotions. *Front Psychol*, vol. 2, pp. 181.
- Essid, S., Lin, X., Gowing, M., Kordelas, G., Aksay, A., Kelly, P., Fillon, T., Zhang, Q., Dielmann, A., Kitanovski, V., Tournemenne, R., Masurelle, A., Izquierdo, E., O'Connor, N. E., Daras, P., & Richard, G. (2013). A multi-modal dance corpus for research into interaction between humans in virtual environments. *JMUI*, vol. 7, no. 1–2, pp. 157–170.
- Ferré,G., Bertrand, R., & Blache, P. (2007). The CID Video Corpus: A Multimodal Resource for Gesture Studies. ISGS conference “Integrating Gestures”, Evanston, Illinois, États-Unis.
- Forgas, J. P. (2001). *Handbook of Affect and Social Cognition, Reprint*. Psychology Press.
- Gibet, S., Courty, N., Multon, F., Pelachaud, C., & Gorce, P. (2005). HUGEX: virtual humanoids embodied with expressive communicative gestures. *Proceedings of Journées bilan ROBEA*, 233-238, Montpellier, France.
- Gibet, S., Courty, N., Duarte, K., & Le Naour, T. (2011). The SignCom System for Data-driven Animation of Interactive Virtual Signers : Methodology and Evaluation. In ACM Transactions on Interactive Intelligent Systems, Vol. 1, Issue 1, n°6.
- Guerra-Filho, G., & Biswas, A. (2012). The human motion database: A cognitive and parametric sampling of human motion. *Image and Vision Computing*, vol. 30, no. 3, pp. 251–261.
- Gunes, H., & Piccardi, M. (2006). A Bimodal Face and Body Gesture Database for Automatic Analysis of Human Nonverbal Affective Behavior. *International Conference on*

- Pattern Recognition*, vol. 1, pp. 1148–1153.
- Haken,H., Kelso, J. A., & Bunz, H.(1985). A theoretical model of phase transitions in human hand movements. *Biol Cybern*, vol. 51, no. 5, pp. 347–356.
- Hall, J. A. (1990). *Nonverbal sex differences: Communication accuracy and expressive style*. Baltimore, MD: The Johns Hopkins University Press.
- Heeter, C. (2003). Reflections on Real Presence by a Virtual Person. *Presence: Teleoperators and Virtual Environments*, vol. 12, no. 4, pp. 335–345.
- Héloïr, A., Courty, N., Gibet, S., & Multon,F. (2006). Temporal alignment of communicative gesture sequences. *Computer Animation and Virtual Worlds*, vol. 17, no. 3–4, pp. 347–357.
- Hid-human interaction database (2007), <http://paloma.isr.uc.pt/hid/> Robot Interaction Based on Bayesian Analysis of Human Movements 541.
- Kendon, A. (2004). *Gesture: Visible Action as Utterance*. New York: Cambridge Univ. Press.
- Klein, K. J. K., & Hodges, S. D. (2001). Gender differences, motivation, and empathic accuracy: when it pays to understand. *Personality and Social Psychology Bulletin*, 27, 720–730.
- Kleinsmith, A., Bianchi-Berthouze, N., & Steed, A.(2011). Automatic Recognition of Non-Acted Affective Postures. *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics*, vol. 41, no. 4, pp 1027–1038.
- Kleinsmith, A., De Silva, P. R., & Bianchi-Berthouze, N. (2006). Cross-cultural differences in recognizing affect from body posture. *Interacting with Computers*, vol. 18, no. 6, pp. 1371–1389.
- Knapp, M. L., & Hall, J. A. (2006). *Nonverbal communication in human interaction*. Belmont, CA: Wadsworth/Thomson Learning.
- Loehr, D. P. (2004). Gesture and Intonation. PhD Thesis.
- Ma, Y., Paterson, H. M., & Pollick, F. E. (2006). A motion capture library for the study of identity, gender, and emotion perception from biological motion. *Behavior Research Methods*, vol. 38, no. 1, pp. 134–141.
- Macaskill, A., Maltby, J., & Day, L. (2002). Forgiveness of self and others and emotional empathy. *The Journal of Social Psychology*, 142, 633-665. doi: 10.1080/00224540209603925
- Mayo, C. & Henley, N. M. (1981). *Gender and nonverbal behavior*. New York, NY: Springer-Verlag.
- McKeown, G., Valstar, M., Cowie, R., Pantic, M., & Schroder, M. (2012). The SEMAINE Database: Annotated Multimodal Records of Emotionally Colored Conversations between a Person and a Limited Agent. *IEEE Transactions on Affective Computing*, vol. 3, no. 1, pp. 5–17.
- Mehrabian, A., & Friar, J. T. (1969). Encoding of attitude by a seated communicator via posture and position cues. *Journal of Consulting and Clinical Psychology*, vol. 33, no. 3, pp. 330–336.
- Metallinou, A., Lee, C-C., Busso, C., Carnicke, S., & Narayanan, S.S. (2012). The USC CreativeIT Database: A Multimodal Database of Theatrical Improvisation. In *Multimodal Corpora: Advances in Capturing, Coding and Analyzing Multimodality*, 55–58, edited by M. Kipp, J-C. Martin, P. Paggio, & D. Heylen. Valetta, Malta, <http://embots.dfki.de/doc/MMC2010-Proceedings.pdf>.
- Moody E.J., McIntosh D.N., Mann L.J., Weisser K.R. (2007). More than mere mimicry? The influence of emotion on rapid facial reactions to faces. *Emotion* 7:447–457
- Müller, M., Röder, T., Clausen, M., Eberhardt, B., Krüger, B., & Weber, A. (2007). Documentation Mocap Database HDM05, Universität Bonn, CG-2007-2.
- Neff, M. (2012). Lessons from the Arts: What the Performing Arts Literature Can Teach Us about Creating Expressive Character Movement. *Nonverbal Communication in Virtual Worlds*, ETC Press.
- Petta, P., Pelachaud, C., & Cowie, R. (2011). Introduction to Emotion-Oriented Systems: The Humaine Handbook, Springer, pp. 850.
- Recanati, F. (1993). *Direct reference: From language to thought*. Blackwell Oxford.
- Savva, N., & Bianchi-Berthouze, N. (2012). Automatic Recognition of Affective Body Movement in a Video Game Scenario. *Intelligent Technologies for Interactive Entertainment*, A. Camurri and C. Costa, Eds. Springer Berlin Heidelberg, pp. 149–159.
- Schieman S., Van Gundy K. (2000). The personal and social links between age and self-reported empathy. *Social Psychology Quarterly*, 63,152–174.
- Sebanz, N., Bekkering, H., & Knoblich, G. (2006). Joint action: bodies and minds moving together. *Trends Cogn Sci*, vol. 10, no. 2, pp. 70–76.
- Wallbott, H. G. (1998). Bodily expression of emotion. *European Journal of Social Psychology*, vol. 28, no. 6, pp. 879–896.
- Warren, W. H. (2006).The dynamics of perception and action. *Psychol Rev*, vol. 113, no. 2, pp. 358–389.
- Warrens, M. J. (2010). Inequalities between multi-rater kappas. *Adv Data Anal Classif*, vol. 4, no. 4, pp. 271–286.